

Applicant: Gary H. Graetz et al.

Confirmation No.: 1533

Serial No.: 10/599,542

Att'y Docket No.: 11398.72.1a.4

Filing Date: September 29, 2006

Group: unknown

For: MOBILE FILTRATION FACILITY AND METHODS OF USE

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

Examiner Initial*	Document Number	Issue Date	Name
___ 1	4,754,786	07/05/1988	Roberts
___ 2	5,350,080	09/27/1994	Brown et al.
___ 3	5,362,642	11/08/1994	Kern
___ 4	5,656,491	08/12/1997	Cassani et al.
___ 5	5,941,635	08/24/1999	Stewart
___ 6	6,071,005	06/06/2000	Ekambaram et al.
___ 7	6,083,587	07/04/2000	Smith et al.
___ 8	6,086,574	07/11/2000	Carroll et al.
___ 9	6,186,932	02/13/2001	Vallot
___ 10	6,450,215	09/17/2002	Willemstyn
___ 11	2003/0144646 A1	07/31/2003	Se et al.
___ 12	2004/0027912 A1	02/12/2004	Bibbo et al.
___ 13	2004/0261889 A1	12/30/2004	Elgan et al.

Foreign Patent Documents

Examiner Initial*	Document Number	Publication Date	Country or Patent Office	Translation
___ 14	0 267 560 A1	05/18/1988	EPO	No

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Gary H. Graetz et al.

Confirmation No.: 1533

Serial No.: 10/599,542

Att'y Docket No.: 11398.72.1a.4

Filing Date: September 29, 1996

Group: unknown

For: MOBILE FILTRATION FACILITY AND METHODS OF USE

Other Documents

(including author, title, pertinent pages, etc.)

Examiner

Initial*

_____ 15 *The Flexel 3-D System*, Stedim, Inc., 1998.

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the examiner file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W\11398\72.1A.4\DFW0000021794V001.doc

Examiner:

Date Considered:

*EXAMINER. Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
